**Edelman, Bradley**

negotiat* <near/5> (protocol or format) - 76 hits

(negotiat* or match*) <near/5> (protocol) <near/5> format - 0 hits

ProQuest Direct:

(negotiat? or match?) w/5 (protocol) w/5 format

|  | L # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 1 | L1 | 623 | protocol near4 (compatib$5 or support$3) near4 format | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 2 | L2 | 368 | 1 same (communicat$4 or network) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 3 | L3 | 44586 | (table or list or map) with (format or protocol) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 4 | L4 | 89 | 2 and 3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 5 | L5 | 14 | 2 same 3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 6 | L6 | 27 | 1 with (select$3 or choos$3 or chos$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 7 | L7 | 36 | 1 with (select$3 or choos$3 or chos$2 or determin$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 8 | L8 | 21 | 7 same (communicat$4 or network) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 9 | L9 | 14 | 8 and (@ad<20000517 or @prad<20000517) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 10 | L11 | 2 | 6421429.URPN. | USPAT |
| 11 | L12 | 33 | negotiat$4 near4 format near4 protocol | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 12 | L10 | 8 | 5 and (@ad<20000517 or @prad<20000517) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 13 | L13 | 16 | 12 and (@ad<20000517 or @prad<20000517) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 14 | L14 | 444 | negotiat$4 near4 communicat$4 near4 (parameter or protocol or format) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 15 | L15 | 143 | 14 same network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 16 | L16 | 20 | 14 same (list or table or iterat$3 or recurs$3 or travers$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 17 | L18 | 2780 | select$3 near4 communicat$4 near4 (parameter or protocol or format) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 18 | L19 | 229 | 18 same (list or table or iterat$3 or recurs$3 or travers$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 19 | L21 | 673 | 18 same network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 20 | L22 | 49 | 19 and 21 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 21 | L17 | 4 | 16 and 15 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 22 | L23 | 30 | 22 and (@ad<20000517 or @prad<20000517) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 23 | L24 | 932 | 709/228.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 24 | L25 | 646 | 24 and (@ad<20000517 or @prad<20000517) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 25 | L26 | 274 | 25 and (compatible or support or appropriate or common) with (protocol or format) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 26 | L27 | 9 | ("5091931" \| "5287199" \| "5333266" \| "5406557" \| "5459775" \| "5524137" \| "5740231" \| "5872926" \| "6119137").PN. | USPAT |
| 27 | L28 | 9 | 5459775.URPN. | USPAT |

IEEE Search

(check* or verif* or ensur$3) <near/8> (format) <near/6> (compatible) <near/6> protocol

(format) <near/6> (compatible) <near/6> protocol

(select*) <near/6> (compatible) <near/6> protocol)

| | L # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 1 | L21 | 18640 505 | (check$3 or verify or verifies or verifying or verification or ensur$3) adj6 (format) near5 (compatible) near5 protocol (@ad<19970922 or @prad<19970922) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 2 | L22 | 22144 658 | (check$3 or verify or verifies or verifying or verification or ensur$3) adj6 (format) near5 (compatible) near5 protocol (@ad<20000517 or @prad<20000517) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 3 | L25 | 3 | (check$3 or verify or verifies or verifying or verification or ensur$3) adj6 (format) near5 (compatible) near5 protocol and (@ad<20000517 or @prad<20000517) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 4 | L26 | 3 | (check$3 or verify or verifies or verifying or verification or ensur$3) adj10 (format) near6 (compatible) near6 protocol and (@ad<20000517 or @prad<20000517) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 5 | L27 | 7 | (match$3 or select$3) adj10 (format) near6 (compatible) near6 protocol and (@ad<20000517 or @prad<20000517) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 6 | L28 | 15 | (match$3 or select$3) near8 (format) near6 (compatible) near6 protocol and (@ad<20000517 or @prad<20000517) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|---|---|---|---|---|
| 7 | L29 | 3 | (match$3 or select$3 or verif$6 or ensur$3) near8 (format or "markup language") near6 (support$3) near6 protocol and (@ad<20000517 or @prad<20000517) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 8 | L30 | 53 | (stor$3 or sav$3) near5 protocol near4 map | USPAT; US-PGPUB; EPO; JPO; DERWENT; |
| 9 | L31 | 7 | (select$3 near3 protocol) near5 (based or according) near5 (format or markup adj language) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 10 | L32 | 14915 | format with protocol | USPAT; US-PGPUB; EPO; JPO; DERWENT; |
| 11 | L33 | 856 | format with protocol with (select$3 or choos$3 or chosen or match$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 12 | L34 | 0 | 33 and (support$3 near3 (single or only or one) near4 format with time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 13 | L35 | 0 | 33 and (support$3 near3 (single or only or one) near4 format with (once or time)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 14 | L36 | 22 | 33 and (support$3 near3 (single or only or one) near4 format) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 15 | L37 | 37013 | format and protocol and network and (monitor or manage or control) and (appliance or device or machine or computer) and (compatible or support) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|---|-----|------|-------------|-----|
| 16 | L38 | 2655 | format and protocol and network and (monitor or manage or control) and (appliance or device or machine or computer) and (compatible or support) and 709/223,224,227,228,246,230 .ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 17 | L39 | 47000 | protocol near5 (manag$6 or monitor$3 or control$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; |
| 18 | L40 | 1598 | 38 and 39 | USPAT; US-PGPUB; EPO; JPO; DERWENT; |
| 19 | L41 | 4846 | (select$3 or choos$3 or chosen) near4 (format or markup adj language) near6 (data or connection or session) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 20 | L42 | 28 | 40 and 41 | USPAT; US-PGPUB; EPO; JPO; DERWENT; |
| 21 | L43 | 3712 | 41 and (@ad<20000517 or @prad<20000517) | USPAT; US-PGPUB; EPO; JPO; DERWENT; |
| 22 | L44 | 17 | 42 and (@ad<20000517 or @prad<20000517) | USPAT; US-PGPUB; EPO; JPO; DERWENT; |